


*MIT Joint Program on the Science
and Policy of Global Change*



Uncertainty and climate change assessments*

*J. Reilly, P.H. Stone, C.E. Forest,
M.D. Webster, H.D. Jacoby, and
R.G. Prinn*

Reprint Series Number JP 01-004

* Reprinted with permission from *Science* 293 (5529):430–33, 20 July 2001. Copyright © 2001 American Association for the Advancement of Science. Further reproduction and distribution are strictly prohibited without consent of the publisher.

The MIT Joint Program on the Science and Policy of Global Change is an organization for research, independent policy analysis, and public education in global environmental change. It seeks to provide leadership in understanding scientific, economic, and ecological aspects of this difficult issue, and combining them into policy assessments that serve the needs of ongoing national and international discussions. To this end, the Program brings together an interdisciplinary group from two established research centers at MIT: the Center for Global Change Science (CGCS) and the Center for Energy and Environmental Policy Research (CEEPR). These two centers bridge many key areas of the needed intellectual work, and additional essential areas are covered by other MIT departments, by collaboration with the Ecosystems Center of the Marine Biological Laboratory (MBL) at Woods Hole, and by short- and long-term visitors to the Program. The Program involves sponsorship and active participation by industry, government, and non-profit organizations.

To inform processes of policy development and implementation, climate change research needs to focus on improving the prediction of those variables that are most relevant to economic, social, and environmental effects. In turn, the greenhouse gas and atmospheric aerosol assumptions underlying climate analysis need to be related to the economic, technological, and political forces that drive emissions, and to the results of international agreements and mitigation. Further, assessments of possible societal and ecosystem impacts, and analysis of mitigation strategies, need to be based on realistic evaluation of the uncertainties of climate science.

This report is one of a series intended to communicate research results and improve public understanding of climate issues, thereby contributing to informed debate about the climate issue, the uncertainties, and the economic and social implications of policy alternatives.

Henry D. Jacoby and Ronald G. Prinn,
Program Co-Directors

For more information, contact the Program office:

MIT Joint Program on the Science and Policy of Global Change

Postal Address:

77 Massachusetts Avenue
MIT E40-271
Cambridge, MA 02139-4307 (USA)

Location:

One Amherst Street, Cambridge
Building E40, Room 271
Massachusetts Institute of Technology

Access:

Tel: (617) 253-7492

Fax: (617) 253-9845

E-mail: globalchange@mit.edu

Web site: <http://web.mit.edu/globalchange/www/>

Uncertainty and Climate Change Assessments

John Reilly,* Peter H. Stone, Chris E. Forest, Mort D. Webster, Henry D. Jacoby, Ronald G. Prinn

Future emissions of greenhouse gases, their climatic effects, and the resulting environmental and economic consequences are subject to large uncertainties. The task facing the public and their policy-makers is to devise strategies of risk reduction, and they need a clear representation of these uncertainties to inform their choices. Absent this information, policy discussion threatens to deteriorate into a shouting match, where analysis results are used both to support calls for urgent action and to justify doing nothing while we wait for more information. The Intergovernmental Panel on Climate Change (IPCC), charged by governments to report on the state of knowledge, took on the issue of uncertainty in its Third Assessment Report (TAR) (1-3). We applaud the attempt to add this component to an already complex assessment process. However, we believe much remains to be done to adequately treat uncertainty in those conclusions that are most important for policy decision-making. Here, we highlight some of the shortcomings of the uncertainty analysis presented in the TAR in the hope of providing impetus to our research community, governments, and the IPCC to improve this aspect of future assessments.

The guidance given to authors in all three working groups of the TAR was to identify the most important uncertainties and characterize the distribution of values of key parameters, variables, or outcomes, where possible using formal probabilistic methods (4). Seeking consistency across the text, a set of terms was proposed to indicate specific likelihoods: virtually certain (99% or more), very likely (90 to 99%), likely (66 to 90%), medium likelihood (33 to 66%), unlikely (10 to 33%), very unlikely (1 to 10%), and exceptionally unlikely (1% or less). Whatever the application, methods for estimating such likelihoods fall into two categories. One applies an analytical model of the process under study and propagates uncertainty in inputs through the model to generate probability distributions of outcomes. In a second approach, probability distributions of key outputs are elicited directly from experts. Naturally, the two methods overlap. In the model-based approach, it is preferable to derive parameter uncertainty from observations, but the needed data often do not exist. Distributions of input parameters then must be selected by expert elicitation. Supplementing model-based uncertainty analysis with expert elicitation also can be useful because uncertainty may be

inherent not just in the inputs (which can be analyzed using the model) but in the model structure (which cannot). Care must be taken in applying expert elicitation to compensate for well-known cognitive biases in human judgment (5), and protocols to reduce these biases have been developed (6).

Careful documentation of the methods applied is also crucially important. For uncertainty analysis using expert elicitation, this involves identifying the experts, detailing how their judgments were elicited, and specifying how multiple judgments were combined to form the results presented. In this way, the exercise can be repeated to gauge whether real changes in the scientific understanding of climate change have occurred, or if differences are simply an artifact of a different group of experts or variations in the protocol.

Expert judgment was widely used in preparing the TAR, but the organizers were not able to impose a consistent procedure across the various components. The likelihood terms above were variously assigned on the basis of "judgmental estimates" in the discussion of the science of climate (1) and on using "collective judgment" when discussing the effects of climate change (2). However, little or no documentation is provided for how judgments were reached or whose estimates were reflected. In discussion of mitigation measures (3), the TAR did not report any analysis using these concepts. The TAR states that many hundreds of scientists contributed to the report. In the absence of documentation, readers could easily conclude that reported likelihoods represent a consensus among them (7). This is not necessarily the case (8). Many of the scientists listed as contributors were never consulted about these probability judgments.

One of the difficulties facing the IPCC is its emphasis on consensus coupled with the range of disciplinary backgrounds and world views among its contributors. Where there are widely divergent views and a consensus cannot be reached, the alternative is to present the judgments of each expert independently (9, 10). Whereas a reader may choose to adopt one view or another from those given, this result is almost always preferable to an interpretation that corresponds to no particular expert's view.

Another feature of the TAR is that many less-important conclusions have attached likelihoods, whereas some crucial ones do not.

Policy-makers need guidance on a small but important set of questions: how large will the climate change be; how damaging are its effects; and how expensive might it be to meet emissions goals? Likelihood statements about these important matters are too often poorly supported in the TAR or are missing altogether.

For example, a crucial conclusion of the TAR is the reported range of projected global mean temperature change over the next century, given as a rise of 1.4° to 5.8°C. This finding is not accompanied by any quantification of the probability of those projections or the probability bounded by this range, and the reader is left to guess whether the likelihood of exceeding this range is 1 in 10 or 1 in 1000. An example of such an assessment is one carried out at the Massachusetts Institute of Technology by using formal uncertainty propagation techniques to assess a probability distribution for global mean temperature change. Applying an uncertainty analysis to a model of emissions (11) and a climate model (11), informed by estimates of the joint probability distribution of key climate variables conditioned by the historical data (12), we calculate a 95% confidence interval for temperature change by 2100, with no emissions control, of 0.9° to 5.3°C (13). For comparison with the estimate by Wigley and Raper in this issue (14), our 90% confidence limits are 1.1° to 4.5°C.

The TAR also reports that the projected range of temperature change has increased since the Second Assessment Report (SAR) in 1995, when the range was from 1.0° to 3.5°C. Both the TAR (1) and other analyses (14) attribute this difference to various causes, including lower projected sulfur dioxide emissions in the IPCC Special Report on Emissions Scenarios (SRES) (15), which was a key input to the TAR. However, given that the probability of the emissions forecasts or of the climate forecasts was not quantified in either the SAR or the TAR, and absent a calibrated methodology for measuring the likelihoods of the ranges in the two assessments, the reader cannot know whether or not the shift in range reflects a new judgment about future climate change.

There are some well-documented statements in the TAR, e.g., to the effect that the rate of temperature increase over the next few decades is likely to be between 0.1° and 0.2°C per decade and that the increase over the past century is likely to be larger than over the past

10,000 years. The difficulty in extending the analysis to longer periods was increased by the procedure for developing the new emissions scenarios. The SRES explicitly avoided assigning probabilities to its scenarios. The Wigley and Raper study has assumed that they were of equal probability (14), although most emissions analysts would agree that they have very different likelihoods. Emissions forecasting is, in fact, one area where there is a history of quantitative uncertainty forecasting (16–18) that could be consulted. The difficulty with refraining from giving any estimate of likelihood is that the public will substitute their own nonexpert judgment about the probability and may assume far more (or far less) likelihood than the scientists involved believe.

On the issue of climate-change effects, the TAR includes a chart describing reasons for concern, indicating generally minor risks from a temperature rise of less than 2°C over the century and gradually increasing risks up to 6°C (2). However, no significant global impacts assessments have been completed using transient climate simulations forced with SRES emissions scenarios published in the TAR (1). Most published impacts work uses older and unrealistic equilibrium climate scenarios for doubled CO₂ levels without the effect of aerosols, or simple sensitivity analyses where temperature or precipitation is varied by an arbitrary amount unrelated to any particular climate projection. The TAR shows clearly that the detailed regional projections needed to confidently assess impacts are unreliable (1). The experts summarizing impacts studies can, of course, form judgments about climate effects at different global temperature changes and their likelihood without the aid of impact analyses, much less quantified uncertainty studies for these impacts. In this event, however, it would seem especially important to explain the procedure followed and to make clear that judgments were made absent quantitative studies using transient scenarios from state-of-the-art coupled ocean-atmosphere general circulation models. A broader knowledge of the weak analytical base for assessment of impacts, as compared with climate science, might encourage badly needed research on climate-change impacts.

In the TAR assessment of mitigation measures, statements are made [Table SPM-1 in (3)] about the amount of emissions reductions that may be achieved by 2010 and 2020 with direct benefits exceeding direct costs. These results condition expectations about the possible cost of emissions control measures and the economic risks associated with firm reduction targets. Far from a consensus, these findings remain the subject of active and sometimes rancorous disagreement. Although

the TAR presents data from a range of studies, the text does not convey the uncertainty that attends them, an unfortunate omission given the substantial background of work on which to draw (10, 16–18).

The IPCC provides a useful service to nations that are trying to understand and respond to climate change, and its leaders and authors deserve credit for their attempt in the TAR to be more explicit about uncertainties. However, given their importance to policy, climate-change assessments must strive to establish standards of scientific evidence no less rigorous in their uncertainty analysis than in their presentation of the underlying natural and social science. If statements of likelihood are to be taken seriously, they need to be grounded in a documented procedure that can be repeated and calibrated. Careful analysis of uncertainty is difficult, so any future assessment must choose outcomes of interest judiciously, focusing on those that are most important. Finally, uncertainty analysis should not be pasted on to the end of an assessment, but needs to be implemented from the beginning, with guidance from experts in the field.

References and Notes

1. J. T. Houghton *et al.*, Eds., *Climate Change 2001: The Scientific Basis* (Cambridge Univ. Press, Cambridge, 2001), 896 pp.
2. J. McCarthy, O. F. Canzian, N. Leary, D. J. Dokken, K. S. White, *Climate Change 2001: Impacts, Adaptation, and Vulnerability* (Cambridge Univ. Press, Cambridge, 2001), 1050 pp.
3. B. Metz, O. Davidson, R. Swart, J. Pan, *Climate Change 2001: Mitigation* (Cambridge Univ. Press, Cambridge, 2001), 656 pp.
4. R. H. Moss, S. H. Schneider, in *Guidance Papers on the Cross Cutting Issues of the Third Assessment Report*, R. Pachauri, T. Taniguchi, K. Tanaka, Eds. (World Meteorological Organization, Geneva, 2000), pp. 33–57.
5. A. Tversky, D. Kahneman, *Science* **185**, 1124 (1974).
6. M. G. Morgan, M. Henrion, *Uncertainty: A Guide to Dealing with Uncertainty in Quantitative Risk and Policy Analysis* (Cambridge Univ. Press, Cambridge, 1990).
7. Australian Academy of Sciences *et al.*, *Science* **292**, 1261 (2001).
8. R. A. Kerr, *Science* **292**, 192 (2001).
9. M. G. Morgan, D. W. Keith, *Environ. Sci. Technol.* **29** (10), 468A (1995).
10. W. D. Nordhaus, *Am. Sci.* **82** (January), 45 (1994).
11. R. Prinn *et al.*, *Clim. Change* **41**, 496 (1999).
12. C. E. Forest, M. R. Allen, A. P. Sokolov, P. H. Stone, *Clim. Dyn.*, in press.
13. M. D. Webster *et al.*, "Uncertainty analysis of global climate change projections" (Report No. 73, Joint Program on the Science and Policy of Global Change, MIT, Cambridge, MA, March 2001). http://web.mit.edu/globalchange/www/MITJPSPGC_Rpt73.pdf
14. T. Wigley, S. Raper, *Science* **293**, 451 (2001).
15. N. Nakienovi, R. Swart, Eds., *Special Report on Emissions Scenarios* (World Meteorological Organization, Geneva, 2000).
16. W. D. Nordhaus, G. Yohe, in *Changing Climate* (National Academy Press, Washington, DC, 1983), pp. 87–153.
17. J. M. Reilly, J. Edmonds, R. Gardner, A. Brenkert, *Energy J.* **8**, 1 (1987).
18. A. S. Manne, R. G. Richels, *Energy J.* **15**, 31 (1994).

The authors (except M.D.W.) are in the Joint Program on the Science and Policy of Global Change, Massachusetts Institute of Technology, Cambridge, MA 02139-4307, USA. M. D. Webster is in the Department of Public Policy, University of North Carolina, Chapel Hill, NC, 27599, USA.

*To whom correspondence should be addressed.
E-mail: jreilly@mit.edu

MIT JOINT PROGRAM ON THE SCIENCE AND POLICY OF GLOBAL CHANGE
REPRINT SERIES

Joint Program Reprints are available free of charge (limited quantities.) To order: please use contact information on inside of front cover.

JP 99-012. Multi-gas assessment of the Kyoto Protocol, J. Reilly, R. Prinn, J. Harnisch, J. Fitzmaurice, H. Jacoby, D. Kicklighter, J. Melillo, P. Stone, A. Sokolov, and C. Wang, *Nature* 401: 549-55, October 1999. (Also JP Report No. 45)

JP 99-013. Agricultural impact assessment, vulnerability, and the scope for adaptation, J.M. Reilly and D. Schimmelpfennig, *Climatic Change* 43(4): 745-88, December 1999.

JP 99-014. Adjusting to policy expectations in climate change modeling: An interdisciplinary study of flux adjustments in coupled atmosphere-ocean general circulation models, S. Shackley, J. Risbey, P. Stone, and B. Wynne, *Climatic Change* 43(2): 413-54, October 1999. (Also JP Report No. 48)

JP 99-015. Transient climate change and potential croplands of the world in the 21st Century, X. Xiao, C. Vörösmarty, J.M. Melillo, D.W. Kicklighter, H. Tian, A.D. McGuire, Y. Pan, and Z. Yang, *Sistema Terra* 8(1-3):96-109, December 1999.

JP 00-001. Factors affecting heat transport in an ocean general circulation model, I. Kamenkovich, J. Marotzke, and P.H. Stone, *Journal of Physical Oceanography* 30(1): 175-94, January 2000.

JP 00-002. The Kyoto Protocol and developing countries, M. Babiker, J.M. Reilly, and H.D. Jacoby, *Energy Policy* 28: 525-36 (2000). (Also JP Report No. 56)

JP 00-003. Irreversibility, uncertainty, and learning: Portraits of adaptation to long-term climate change, J. Reilly and D. Schimmelpfennig, *Climatic Change* 45: 253-78 (2000).

JP 00-004. A methodology for quantifying uncertainty in climate projections, M.D. Webster and A.P. Sokolov, *Climatic Change* 46(4): 417-46, September 2000. (Also JP Report No. 37)

JP 00-005. Linking local air pollution to global chemistry and climate, M. Mayer, C. Wang, M. Webster, and R.G. Prinn, *J. Geophysical Research* 105(D18): 22,869-96, September 27, 2000. (Also JP Report No. 63)

JP 00-006. Japanese nuclear power and the Kyoto agreement, M. Babiker, J. Reilly, and D. Ellerman, *J. Japanese and International Economies* 14: 169-88. (Also JP Report No. 51)

JP 00-007. A game of Climate Chicken: Can EPA regulate greenhouse gases before the U.S. Senate ratifies the Kyoto Protocol? V. Bugnion and D.M. Reiner, *Environmental Law* 30(3): 491-525 (Summer 2000). (Also JP Report No. 57)

JP 00-008. Complementarity: An invitation to monopoly? A.D. Ellerman and I. Sue Wing, *Energy Journal* 21(4): 29-59 (October 2000). (Also JP Report No. 59)

JP 00-009. Iron limits the cell division rate of *Prochlorococcus* in the eastern equatorial Pacific, E.L. Mann and S.W. Chisholm, *Limnology and Oceanography* 45(5): 1067-76 (2000).

JP 00-010. Constraining uncertainties in climate models using climate change detection techniques, C.E. Forest, M.R. Allen, P.H. Stone, and A.P. Sokolov, *Geophysical Research Letters* 27(4): 569-72, February 15, 2000. (Also JP Report No. 47)

JP 00-011. Stirring times in the Southern Ocean, S.W. Chisholm, *Nature* 407:685-87, 12 October 2000.

JP 01-001. Climate impasse: How The Hague Negotiations failed, D.M. Reiner, *Environment* 43 (2) 36-43, March 2001.

JP 01-002. Getting climate policy on track after The Hague, H.D. Jacoby and D.M. Reiner, *International Affairs* 77(2):297-312, April 2001.

JP 01-003. Le défi européen: Issues in the implementation of greenhouse gas emissions trading in Europe, A. Denny Ellerman, *Revue de l'Énergie* 524:105-11, February 2001. (Also from Section 4 of JP Report No. 69)

JP 01-004. Uncertainty and climate change assessments, J. Reilly, P.H. Stone, C.E. Forest, M.D. Webster, H.D. Jacoby, and R.G. Prinn, *Science* 293 (5529):430-33, 20 July 2001.

Massachusetts Institute of Technology
Joint Program on the Science and Policy of Global Change
One Amherst Street (E40-271)
Cambridge, Massachusetts 02139-4307